















Mod.		 mm.	 Kg
EG120	1.5	1500 x 120	50
EG75	2.7	2000 x 75	82
EG150	2.7	2000 x 150	95




Mod.		 mm.	 Kg
213	2.3	2000 x 12-100	130









Mod.		 mm.	 Kg
128D	3.4	2000 x 75	408



Mod.		 MAX	 Kg
761	5.7	600 x 100	280
791	5.7	960 x 100	320









Mod.			
332	3	2000 x 200	165
333	3	2000 x 200	195




Mod.			
334	3	2000 x 200	167


Mod.			
132	5	2000 x 150	220






Mod.			
310	0.6	1000 x 100	40
311	2.3	1500 x 150	75



Mod.			
623	2.3	2000 x 6/75	97



Mod.			
212	2.3	2000 x 12/100	235



- Anche in versione a Nastro libero
- The model with free belt is also available
- Auch in der Version mit frei laufendem Schleifband
- Même en version avec bande libre
- También en versión con cinta libre

Mod.			
413	0.6	1100 x 6/50	45

Mod.			
491	2.3	2500 x 75	90

Mod.			
122	4.5	2000 x 75	84



Mod.			
123	2.3	1500 x 150	104



Mod.			
127	2.3	2000 x 75	105



Mod.			
131	2.3	2000 x 150	120



Mod.			
128	3.4	2000 x 75	140



Mod.			
142	2.3	950 x 50	200




Mod.			
133	5.3	2000 x 150	140
134	3.4	2000 x 150	120



Mod.			
410	0.6	1500 x 6/40	40



Mod.			
420	2.3	2000 x 50/12	87







Mod. 844 Mod. 845 Mod. 846







Mod.			
844/5/6	0.3	900 x 35	295







Mod.	 Kw	 mm	 MAX	 Kg
705	3.4	280	300 x 120	105 - 220*
725	3.4	280	300 x 120	200 - 500*






Mod.	 Kw	 mm	 MAX	 Kg
706	3.4	650	300 x 140	110 - 220*
726	3.4	650	300 x 140	210 - 500*







Mod.	 Kw	 mm	 MAX	 Kg
707	3.4	500	400 x 500	115 - 220*
727	3.4	500	400 x 500	220 - 500*







Mod.	 Kw	 mm	 Kg
521	3	2000 x 75	82
522	3	2000 x 150	95
531	5.3	2500 x 100	135
532	5.3	2500 x 200	173






Mod.	 Kw	 mm	 Kg
125-2R	2.7	2000 x 75	80
125-4R	4.5	2000 x 75	130






Mod.	 Kw	 mm	 Kg
126	4.5	2000 x 75	96






Mod.	 Kw	 M³/h	 Kg
ASP 2000	2.3	2000	250
ASP 4000	3	4000	400
ASP 6000	5.7	6000	500






Mod.	 Kw	 M³/h	 Kg
DE2000	1.5	2000	70



Mod.	 Kw	 M³/h	 Kg
ASP700	0.6	700	35



Mod.	 Kw	 mm	 Kg
800	1.5	29 x 100	78

GECAM s.r.l. - Via Cantoni, 16 - 43100 - Parma - Italy
 Tel: +39 0521798353 - Fax: +39 0521799505
 gecam@gecam.com

GECAM



www.gecam.com

www.eurofintec.it

